




INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ



## PRIORITY DOCUMENT


SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated

1 October 2004



20NOV03 EB53406-5 D02136  
P01/7700 0.00-0326949.5

Act 1977

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road  
Newport  
Gwent NP9 1RH

1.	Your reference	SP/ED/LT/N14886	
2.	Patent application number (The Patent Office will fill this part)	0326949.5	
3.	Full name, address and postcode of the or of each applicant (underline all surnames)	<u>BOYLE</u> , Joseph Cavan 13 Sondes Street Walworth London SE17 2PQ U.K.	
Patents ADP number (if you know it)		8756108001	
If the applicant is a corporate body, give the country/state of its incorporation			
4.	Title of the invention	Portable Container	
5.	Name of your agent (if you have one)	Williams Powell	
	"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	Morley House, 26-30 Holborn Viaduct London EC1A 2BP	
	Patents ADP number (if you know it)	5830310001 ✓	
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country (if you know it)	Priority application number (day / month / year)  Date of filing (day / month / year)
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application.	Number of earlier application	Date of filing (day / month / year)
8.	Is a statement of inventorship and of right to grant of a patent required in support of this request? (answer 'Yes if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))		
	No		

# Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	6
Claim(s)	
Abstract	
Drawing(s)	2 + 2

10. If you are filing one of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents  
(please specify)

11. I/we request the grant of a patent on the basis of this application.

Signature

*Lee Anderson*

Date

19 November 2003

12. Name and daytime telephone number of person to contact in the United Kingdom

Mr Lee Anderson 020 7936 3300

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

## Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

PORTABLE CONTAINER

The present invention relates to a portable container and more particularly to a portable case for carrying tools.

5

Most chefs and professional cooks possess their own specialist kitchen tools such as knives, which need to be transported between venues. In addition, the tools need to be securely stored yet readily accessible when needed. Storage is frequently a problem due to limited space. A further problem encountered by many chefs and cooks is back pain caused by preparing food on work surfaces which are too low.

10

The present invention seeks to overcome or reduce one or more of the above problems.

According to a first aspect of the present invention, there is provided a portable container for carrying one or more tools, the container having an outer surface provided with means for retaining a work surface thereon.

15

The term tools is intended to include utensils, instruments and implements.

The means for retaining is preferably a plurality of flanges. The flanges are advantageously positioned at or adjacent the periphery of the outer surface. Preferably the flanges are integral with the outer surface.

20

The work surface is typically a chopping board.

25

The container may be made of plastics material or a light weight metal.

Preferably, the container has a second opposed outer surface having non-slip means.

The inside of the container preferably has means for retaining one or more tools. The means for retaining tools may be a moulded tray, a layer of magnetic material and/or one or more clips.

- 5 According to a second aspect of the present invention, there is provided a kit of parts comprising a portable container for carrying tools having an outer surface provided with means for retaining a work surface thereon; a work surface for retention on the outer surface of the container, and a set of tools for storing inside the container.
- 10 Preferably the work surface can be stored inside the container.

Preferred embodiments of the present invention will now be described, by way of example only, with reference to the accompanying drawings of which:

- 15 Figure 1 is a perspective view of a portable case in accordance with a preferred embodiment of the present invention;

Figure 2 is a perspective view of the case of Figure 1 when opened;

- 20 Figure 3 is a top plan view of the case of Figure 1; and

Figure 4 is a bottom plan-view of the case of Figure 1.

- 25 Referring to the drawings, a portable case 100 is made of plastics material and has a shallow base tray 102 for storing kitchen utensils and cutlery. One end of the base 102 is connected to a lid 104 by a hinge 105. The lid 104 is an inverted shallow tray of the same dimensions as the base 102. Thus items placed in the base 102 which are greater depth than the base can be accommodated. The height of the case 100 when laid flat is approximately 102mm (4 inches).

The front sides of the base 102 and lid 104 each have a handle element 110 arranged such that when the case 100 is shut, they effectively form a single handle member which can be held in one hand. A lock 112 is provided on each side of the handles.

- 5 The top surface of the lid 104 has four peripheral flanges 114, one on each side of the lid, for retaining a chopping board having approximate dimensions 510mm x 360mm x 254mm (18 inches x 12 inches x 1 inch). The flanges 114 are integral with the lid 104.

- 10 A ridged rubber mat 118 is inlaid substantially in the centre of the outer surface of the base 102.

- In use, a chef can store his kitchen utensils inside the case 100 and transport them between venues. Most kitchens supply chopping boards, which tend to be colour coded for use with different foodstuffs, and thus the chef does not need to transport boards between venues. In the kitchen, the case 100 is laid flat on a work bench. The chef selects a chopping board and places it on top of the lid 104 so that it is held in position by the retaining flanges 114. He can then begin to prepare food on the chopping board. The non-slip mat 118 on the base 102 prevents the case 100 moving accidentally. The case 100 can be readily opened and closed when access to the stored utensils is needed.
- 15 20 The flanges 114 prevent the chopping board slipping off the case 100 when it is opened. When the chef has finished using the chopping board it can be readily removed, the gaps 116 between the flanges 114 allowing easy access to the board.

- An advantage of the above-described case is that it provides a compact, portable work station which is easy to transport. Furthermore, it provides a raised work surface which increases the comfort of the user. It can be used with standard sized chopping boards which are found in most kitchens. Another advantage is that the chopping board is held in place, preventing substantial accidental movement. Since the tools are stored in the case which is under the raised work surface, they are easily accessible. In addition, the case can be easily and cheaply manufactured.
- 25 30

Numerous variations to the case are possible.

5 The case may be larger in order to retain a larger chopping board, for example 24 inches x 18 inches (610mm x 510mm). The case can retain polyethylene chopping boards which typically have a depth of 0.5 to 1 inch (127mm to 254mm).

The height of the case when laid flat may be in the range of about 4 to 8 inches (102mm to 203mm). The height of case used will depend on the height of the user and will be selected to limit back strain.

10

The peripheral flanges may not be provided on all four sides of the lid. Instead, there may be two flanges on opposite sides of the lid, preferably on the front and back sides so that the board does not slip off when the case is opened. This arrangement could hold a work surface which is longer than the case.

15

The flanges may not be integral but may be attached to the lid in another way for example by bonding.

20

The flanges may be moveable to accommodate a range of chopping boards of different sizes.

The flanges may be releasable for transporting prior to first use or during long periods of non-use.

25

The flanges may be adapted to grip the board so that the case can be picked up and carried with the board held firmly in place. There may be slots, for example, to receive a board. The board may snap-fit into place. The board may be secured in position by clips. The clips may be pivotally mounted on the case.

Instead of flanges, there may be a continuous raised rim substantially around the perimeter of the lid. However, it is more difficult to remove the board from such an arrangement.

- 5 The lid of the case may have one or more reinforcing struts. This is particularly useful for supporting heavy work surfaces. The struts may be metal. The struts may be located within the moulding of the lid such that they can not be seen. Alternatively, the struts may be integral with the lid and formed in the same moulding operation. This arrangement may mean that the lid is less deep than the base.

10

The lid may not be an inverted tray, and may be substantially flat. The lid may not be hinged and may be attached in any other way.

- 15 The case may be made of a light metal such as aluminium.

Any non-slip material may be applied to the base of the case. Instead of a mat, the base of the case may have non-slip feet. Alternatively, the non-slip material may be omitted.

- 20 The case may have any type of suitable lock, for example a combination or key lock or latches.

The inside of the case may be provided with equipment retainers for holding different sized utensils. For example, there may be a moulded tray and/or there may be a  
25 magnetic lining or strip to retain the utensils. Alternatively, there may be clips.

The case may have a shoulder strap to facilitate carrying.

- The case may be used for a variety of purposes with any kind of tools. For example, a  
30 joiner or carpenter would carry tools such as hammers, screwdrivers and the like. A



doctor would carry instruments and medicines. An artist would carry brushes, pencils, paints and the like.

5 The outside of the case may be adapted to retain different work surfaces, such as wood, metal card, paper and the like.

10 The work surface may not be flat and may have recesses and indents or the like. For example, a joiner or carpenter may use a work surface which is rough to prevent items slipping. This is particularly important when carrying out a delicate operation. The work surface may have holders for the joiner's tools. An artist may use a work surface with indents for filling with paints. A doctor may use a work surface with recesses for holding medicine containers.

15 The work surface could be a display surface. For example, a salesman may wish to display samples or pictures of products.

20 One or more work surfaces may be carried inside the case and then transferred to the top of the case for use. An advantage of this arrangement is that it provides a clean, hygienic work surface. This is particularly advantageous for medical use in the field. The arrangement is also beneficial to chefs travelling to a venue which may not provide chopping boards. The chef can clean his board (s) at home and transport it to the venue inside the case so that it remains clean.

FIGURE 1




FIGURE 2




FIGURE 3





FIGURE 4



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record.**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**